PROGRIND

SCARIFYING EQUIPMENT

TRAFFIC MARKING
REMOVALS,
SURFACE LEVELING &
PREPARATION

CONCRETE SASPILALI APPLICATIONS



PROGRIND





MULTIPURPOSE PREP

PROGRIND HD series

Electric or gas walk-behind scarifiers with side loaded cutting drum. Ideal for concrete surfaces, line marking removal, surface preparation & leveling.



LOW GRAVITY

PROGRIND LG series

Low gravity walk-behind scarifiers with perfectly balanced stability & design, ideal for industrial floor preparation with no skidding effect.



ROAD MARKING REMOVAL

PROGRIND LGR series

Especially designed for easy maneuvering and road marking removal applications.

Note: Combine with PRODRIVE ride along chair and double the production rate.



MARINE SCARIFIERS

PROGRIND PG series

Self-tightening drum cutters, electric or gas operated, interchangeable cutting tools. Ideal for all types of vessels and marine steel deck surfaces.







MULTIPURPOSE PREP

LOW GRAVITY

		HD SERIES	LG SERIES			
Model	PROGRIND HD 209 G	PROGRIND HD 258 E	PROGRIND HD 2513 G	PROGRIND LG 209 G	PROGRIND LG 258 E	
Max. Working Width	200 mm / 8 in	250 mm / 10 in	250 mm / 10 in	200 mm / 8 in	250 mm / 10 in	
Cutter Type	Drum	Drum	Drum	Drum	Drum	
Power Source HP	HONDA GX270 9.0	Electric motor 7.5	HONDA GX390 13	HONDA GX270 9.0	Electric motor 7.5	
Engine Start	Pull start	-	Pull start	Pull start	-	
Cut speed	55 sqm/h (600 sqf)	65 sqm/h (700 sqf)	70 sqm/h (750 sqf)	55 sqm/h (600 sqf)	65 sqm/h (700 sqf)	
Break System	Optional	Optional	Optional	Optional	Optional	
Ride along chair	N/A	N/A	N/A	N/A	N/A	
Water Kit	N/A	N/A	Optional	Optional	Optional	
Vacuum Connection Port	YES	YES	YES	YES	YES	
Wide Bar Handle	N/A	N/A	Optional	Optional	Optional	
Dimensions cm	96.5 x 48.5 x 106	96.5 x 48.5 x 106	96.5 x 48.5 x 106	121 x 55 x 106	121 x 55 x 106	
Weight w/o drum + c/w*	103 kg	106 kg	118 kg	121 kg	135 kg	

^{*} c/w = Includes counter weights





ROAD MARKING REMOVAL

MARINE SCARIFIERS

LG	LGR S	ERIES	PG SERIES			
PROGRIND LG 2513 G	PROGRIND LGR 209 G	PROGRIND LGR 2513 G	PROGRIND PG 200	PROGRIND PG 250	PROGRIND PG 250 HD	
250 mm / 10 in	200 mm / 8 in	250 mm / 10 in	200 mm / 8 in	250 mm / 10 in	250 mm / 10 in	
Drum	Drum	Drum	Drum	Drum	Drum	
HONDA GX390 13	HONDA GX270 9.0	HONDA GX390 13	HONDA / MOTOR	HONDA / MOTOR	HONDA / MOTOR	
Pull / Electric start	Pull / Electric start	Pull / Electric start	Pull start	Pull start	Pull start	
70 sqm/h (750 sqf)	55 sqm/h (700 sqf)	75 sqm/h (800 sqf)	Ref manual marine	Ref manual marine	Ref manual marine	
Optional	Optional	Optional	N/A	N/A	N/A	
N/A	Optional x2 speed	Optional x2 speed	N/A	N/A	N/A	
Optional	Optional	Optional	N/A	N/A	N/A	
YES	YES	YES	N/A	N/A	N/A	
Optional	N/A	N/A	N/A	N/A	N/A	
121 x 55 x 106	150 x 55 x 106	150 x 55 x 106	107 x 56.5 x 110	107 x 56.5 x 110	107 x 56.5 x 110	
103 kg	127 kg	135 kg	102 kg	106 kg	112 kg	

IND **HD** SERIES

CARIFYING EQUIPMENT





INDUSTRIAL FLOOR REPAIRS, LINE MARKING REMOVALS & SURFACE

PROGRIND HD walk-behind scarifiers cover a large series of surface preparation applications, designed only for professional use due to their heavy-duty structure and high speed cutting technology.



Controller HD





V BRAKE SYSTEM

No need to slow down or stop the scarifier with old fashioned methods such as using your foot or body weight, all PG models offer a easy to handle brake system, allowing you to slow down or complete stop. Lock the units brake system or even control the speed while working.

√ SHOCK ABSORBER LIFT LEVER

Easy, light and instant unit lift.

√ STEADY & HD STRUCTURE

No skidding the unit to remove line striping or coatings, PROGRIND HD has a steady drive system for perfect surface leveling, coating removal and repairs

√ HIGH SPEED OPERATION

Maximum productivity and production rate due to a high speed rotation system, increasing your profit



APPLICATIONS

Industrial Flooring

- * Leveling
- * Surface preparation

Asphalt

- * Line marking removal
- * Top skid layer removal
- * Leveling
- * Surface preparation
- * Rubber removal

Concrete & Stone

- * Leveling
- * Surface preparation
- * Polishing

Steel

- * check Industrial
- & Marine series







MULTI-PURPOSE SCARIFIER

V |= **Z** () \$



FEATURES

- 8 10" (200-250mm) working width
- Walk-Behind Scarifier HD series
- PG Controller with cutting depth control
- Electric & Gas powered models
- Speed control & Brake system
- Heavy Duty structure
- Add On Counter weight kits
- Multiple wheel kits
- Vacuum connection for dust free operation
- Easy side loaded cutting beam
- Maximum cutting depth 10mm
- Multiple cutting tools per application
- Secure lift lever with shock absorber
- High speed operation

























DRUMS & CUTTERS

Cutter Type	Wire Brush	Steel Star	Steel Beam	Carbide Flail	Carbide Flat	Carbide Tipped Miller	Full Carbide Miller
	O	**	*			\$	0
Profile Fine							
Profile Medium							
Profile Course							

^{*} indicated by the "International Concrete Repair Institute"









Controller PG Electric Cutting depth control, brake system.. Lift Lever Secure lift lever with shock absorber Waterproof switch board **Soft Handles** Plug & Work PROGRIND Secure industrial socket HD 258 Speed control / Brake System Control speed or entire brake lock with an easy lever / lock tech **HD Electric motor 7.5hp HD Industrial tires Protective Belt Guard** Rear industrial tires with optional adjustable brake pads / multiple wheel kits & setup Model: PROGRIND HD 258 **Cutting Drum** Side loading cutting drum. PROGRIND Multiple cutting tools 200mm - 8" working width **Inclination Kit Add-on Counter Weight** (optional) PROGRIND Adjustable weight system (kits available)



Model: PROGRIND HD 2513

Adjustable weight system

(kits available)

PROGRIND LE SERIES

SCARIFYING EQUIPMENT





INDUSTRIAL FLOOR REPAIRS, SURFACE PREPARATION

PROGRIND LG scarifiers low gravity design makes these units an ideal solution to industrial flooring contractors that wish to cover high volume leveling applications. High speed technology, low gravity design & wide width coverage.



APPLICATIONS

Industrial Flooring

- * Leveling large surfaces
- * Surface preparation
- * Thick coating removals

Concrete & Stone

- * Leveling
- * Surface preparation
- * Polishing

Asphalt

- * Line marking removal
- * Top skid layer removal
- * Leveling
- * Surface preparation
- * Rubber removal





√ LOW GRAVITY

Stable and accurate cutting due to the units low centered gravity design. The LG series has been designed for very demanding applications that require extreme stability and accurate leveling results.

√ ADD-ON COUNTER WEIGHT

Perfectly balanced unit with additional counter weight kits available customizing the scarifier to your job needs. Increased weight results to efficient results

√ STEADY & HD STRUCTURE

No skidding the unit to remove line striping or coatings, PROGRIND LG has a steady drive system for perfect surface leveling, coating removal and repairs

V BRAKE SYSTEM

Regulate the speed effortlessly by braking the unit with an easy to work lever brake and lock system



- 8 10" (200-250mm) working width
- Walk-Behind Scarifier LG series
- PG Controller with cutting depth control
- Electric & Gas powered models
- Speed control & Brake system
- Low gravity design
- Add On Counter weight kits
- Multiple wheel kits
- Vacuum connection for dust free operation
- Easy side loaded cutting beam
- Maximum cutting depth 10mm
- Multiple cutting tools per application
- Raise or lower the unit with one motion
- High speed operation



















ND LGR SERIES

CARIFYING EQUIPMENT









√ ADJUSTABLE BRAKE SYSTEM

Slow down the unit with an advanced braking system, use the lever to gradually brake the system or complete brake lock the unit. No need to use your foot or any old fashion methods, VEZOS has designed the latest braking technology especially for line removal machinery.

√ SHOCK ABSORBER LIFT LEVER

Easy, light and instant unit lift.

√ ROAD KIT / WHEEL KIT

LGR models include a road kit adapted on the front of the unit with a easy to maneuver large swivel wheel, this way it is easy to remove old line striping from large and complex parking lots. Choose between a wide range of wheel kits depending on the roads surface.

√ PRODRIVE RIDE ALONG CHAIR

Ride along and get the job down faster, adapt the PRODRIVE chair to the unit and double your speed.



- 8 10" (200-250mm) working width
- Walk-Behind Scarifier HD series
- PG Controller with cutting depth control
- Electric & Gas powered models
- Speed control & Brake system
- Heavy Duty structure
- Add On Counter weight kits
- Multiple wheel kits
- Vacuum connection for dust free operation
- Easy side loaded cutting beam
- Maximum cutting depth 10mm
- Multiple cutting tools per application



Model: PROGRIND LGR 2513



ROAD MARKING REMOVAL SCARIFIER

V |= **Z** () (5)

Controller LGR





LGR scarifiers can be operated from the top panel, easy depth control system located in the center allowing users to lower the cutting drum per 10 mill every 2 clicks. The panel includes a kill switch, engine accelerator and emergency stop button. The braking system bar has a two phase operation to slow down the unit gradually or a complete lock system for instant stop/park. Soft grips are located left and right of the unit eliminating any vibrations while running the unit.



Industrial Flooring

- * Leveling
- * Surface preparation

Asphalt

- * Line marking removal
- * Top skid layer removal
- * Leveling
- * Surface preparation
- * Rubber removal

Concrete & Stone * Leveling * Surface preparation * Polishing Steel * check Industrial & Marine series



DRUMS & CUTTERS

PROGRIND LGR scarifiers have an easy to change cutting drum, located on the side of the unit. Choose between a wide range of cutting tools depending on the jobs untreated surface. See manual 0106411 for details spare parts



















Model: PROGRIND LGR 2513



Controller PG

EZOS

PROGRIND

LGR 2513

Cutting depth control, engine throttle, kill switch, brake system..

Soft Handles

Speed control / Brake System

Control speed or entire brake lock with an easy lever / lock tech

Easy lift system

Single or double pump Markets largest stroke Extreme High-Flow 19 I/min

Adjustable brake pads

Single or double pump Markets largest stroke Extreme High-Flow 19 I/min

Double sided vacuum port

Single or double pump

Cutting Drum

Side loading cutting drum. Multiple cutting tools 250mm - 10" working width



ROAD MARKING REMOVAL SCARIFIER

V |= **Z** () \$

Low gravity road scarifier for extra stability and accurate cutting. Correctly balanced with add on counter weight kits enabling the unit to adapt to each job site. Double your performance with VEZOS PRODRIVE ride along chair.



Add-on Counter Weight
Adjustable weight system

(kits available)

HONDA GX Engines



Inclination Kit



PROGRIND PG SERIES

SCARIFYING EQUIPMENT





STEEL AND DECK MARINE SCARIFIES

PROGRIND scarifying equipment is designed as a one piece frame - fully welded, avoiding joint loosing. Due to the closed double ball bearing system and self-tightening drum technology VEZOS de-scaling units are classified as the industry's most robust units.



Size matters!

Deck scarifiers are weight assisted units, but when it comes down to shipping the unit off to the vessel VEZOS has designed a detachable handle allowing the entire unit to fix on a small pallet $(60 \times 80 \times 60 \text{cm height})$



Interchangeable drums

1 scarifier - 6 drum cutters
Each surface needs its own cutting tools, VEZOS PG models allow you to choose between chisels, chains, brushes, star - steel & TCT cutters.

Self-tightening drums

While working the PG scarifier self-tightens the cutting tools on the drum, this procedure eliminates loose cutters & worn tools

Adjustable track width

PROGRIND scarifiers are offered in 3 working width dimensions - 120, 200 & 250mm. But don't let this stop you by altering the working track of your drum depending on the applications needs, its as easy as 1-2-3

Adjustable height

An easy to work leaver placed at the top of the unit allows you to adjust the cutting depth

Drum inspection cover

No need to tip the unit upside down to check your cutting tools and drum, this top right inspection cover lets you take a close inspection on the spot.

Production per hour

Take advantage of VEZOS multiple drums and gain a 40 m2 /hour production rate with our chain drum or ask for a consultation per job with a selection of cutters



Vessel Decks

- * De-rusting
- * Surface preparation
- * Old coating removal
- * Polishing





Interchangeable cutting drums, depending on the vessels untreated surface choose the right tools for the job. Chains, stars, chisels, brushes,



MARINE DECK SCARIFIER

V |= **Z** C) \$\$



PROGRIDO SCARIFYING EQUIPMENT



LINE STRIPERS +18 MODELS



ROAD MARKING +30 MODELS



SCARIFIERS +12 MODELS



AIRLESS SPRAY +30 MODELS



AIR PUMPS +15 MODELS



SANDERS +15 MODELS



www.vezosusa.com Brick NJ USA

Tel: +17323336632

www.vezos.co.uk

Kent BK UK

Tel: +441344902036

Athens EUROPE

Tel: +302104411720