

DIVISION: CONTRACTOR

PAINT & COATING

COMMERCIAL &
RESIDENTIAL



all about color ...

Texture, Paint & Sanding

Commercial and residential

Hydraulic electric or gas paint sprayers, ideal for new building projects and renovations. Multiple operators for double productivity

Construction sites

Maximum flow sprayers ideal for bridges and construction sites, transformable units depending on the power source within the site.

Drywall & surface preparation

Ceiling and wall sanders, multi-length set up, gripping effect and dust collection with all professional vacuums





AIRLESS PAINT SPRAYING, STUCCO - TEXTURE & PAINT

all about color ...



Coating & Renovation

Eliminating downtime and expensive service. Hydraulically operated airless sprayers, ideal for any professional painting contractor. Available in multiple material delivery & HP



Slow stroke
pump



Wide range of
material coverage



Adjustable
pressure



1 & 2
users (spray guns)



Compact & upright
design



Medium to large coating applications need an airless sprayer tailored to meet the construction's harsh environments needs. VEZOS DURA airless hydraulic range, eliminates common classic electric sprayers disadvantages that cause downtimes on the job and offers reliability and productive throughout the entire application.

DURA STD INSIGHTS

- ▮ Compact and upright design
- ▮ 1-2 paint gun operation
- ▮ Slow stroke hydraulic paint pump
- ▮ Built in filter
- ▮ Pressure adjustment
- ▮ Drain valve
- ▮ HYDREX 68cc pump
- ▮ TCS Technology
- ▮ Retractable handle
- ▮ Industrial durable tires
- ▮ Heavy duty cart
- ▮ Direct immerse pump
- ▮ Removable suction hose kit (optional)
- ▮ Hydraulic operation - 5 lit oil reservoir
- ▮ Pressure gauge
- ▮ Industrial electric motor



DURA STD

MID-RANGE COAT SERIES





DURA STD 400

DURA STD 400 ELECTRIC AIRLESS SPRAYER - p/n 24.1105018

Type: Hydraulic airless texture - paint sprayer

Max. working pressure: 230 bar / 3350 psi

Max material delivery: 3.7 lit/min

Power: Electric motor 2 hp 230 volt

Heavy duty cart

Hydraulic reservoir: 5 liters capacity

HYDREX paint pump 50cc

Includes:

15 meters airless paint hose

Airless spray gun complete with guard & tip

Weight: 55kg

DURA STD 600

DURA STD 600 ELECTRIC AIRLESS SPRAYER - p/n 24.1105010

Type: Hydraulic airless texture - paint sprayer

Max. working pressure: 230 bar / 3350 psi

Max material delivery: 5.9 lit/min

Power: Electric motor 3 hp 230 volt

Heavy duty cart

Hydraulic reservoir: 5 liters capacity

HYDREX paint pump 68cc

Includes:

15 meters airless paint hose

Airless spray gun complete with guard & tip

Weight: 86kg

DURA STD 500

DURA STD 500 ELECTRIC AIRLESS SPRAYER - p/n 24.1105020

Type: Hydraulic airless texture - paint sprayer

Max. working pressure: 230 bar / 3350 psi

Max material delivery: 4.9 lit/min

Power: Electric motor 2.5 hp 230 volt

Heavy duty cart

Hydraulic reservoir: 5 liters capacity

HYDREX paint pump 50cc

Includes:

15 meters airless paint hose

Airless spray gun complete with guard & tip

Weight: 73kg

DURA STD 800

DURA STD 800 ELECTRIC AIRLESS SPRAYER - p/n 24.1105014

Type: Hydraulic airless texture - paint sprayer

Max. working pressure: 230 bar / 3350 psi

Max material delivery: 7.5 lit/min

Power: Electric motor 4 hp 230 volt

Heavy duty cart

Hydraulic reservoir: 5 liters capacity

HYDREX paint pump 68cc

Includes:

15 meters airless paint hose

Airless spray gun complete with guard & tip

Weight: 92kg



DURA High-Flow hydraulic sprayers have been designed to cover the needs of commercial & industrial contractors that take on jobs, with large and continuous coating applications. With a maximum material delivery of 10.1 l/min at a perfectly balances 177 bar working pressure, the DURA High-Flow texture sprayers, prove that a HYDRAULIC unit is just what's needed to get the job done.



DURA HIGH-FLOW INSIGHTS

- ▯ Compact and upright design
- ▯ 1-2 paint gun operation
- ▯ Slow stroke hydraulic paint pump
- ▯ 177 bar working pressure (2600 psi)
- ▯ Pressure adjustment
- ▯ Drain valve
- ▯ HYDREX 68cc pump
- ▯ TCS Technology
- ▯ Retractable handle
- ▯ Industrial durable tires
- ▯ Heavy duty cart
- ▯ Direct immerse pump
- ▯ Removable suction hose kit (optional)
- ▯ Hydraulic operation - 5 lit oil reservoir
- ▯ Built in filter (optional)
- ▯ Industrial electric motor



DURA HIGH FLOW 600

DURA HIGH FLOW 600 ELECTRIC AIRLESS SPRAYER - p/n 24.1105012

Type: Hydraulic airless texture - paint sprayer

Max. working pressure: 177 bar / 2600 psi

Max material delivery: 7.6 lit/min

Power: Electric motor 3 hp 230 volt

Heavy duty cart

Hydraulic reservoir: 5 liters capacity

HYDREX paint pump 68cc

Includes:

15 meters airless paint hose 1/2"

Airless spray gun complete with guard & tip

Weight: 83-86 kg



DURA HIGH FLOW 800

DURA HIGH FLOW 800 ELECTRIC AIRLESS SPRAYER - p/n 24.1105016

Type: Hydraulic airless texture - paint sprayer

Max. working pressure: 177 bar / 2600 psi

Max material delivery: 10.1 lit/min

Power: Electric motor 4 hp 230 volt

Heavy duty cart

Hydraulic reservoir: 5 liters capacity

HYDREX paint pump 68cc

Includes:

15 meters airless paint hose 1/2"

Airless spray gun complete with guard & tip

Weight: 89-92 kg



HYPER STROKE
2"

Paint & Renovation

Discover VEZOS unique hydraulic 1hp airless paint sprayers. DURA LC innovative airless range offers hydraulic power to small and medium painting contractors.

COMING SOON



Slow stroke
pump



Hydraulic
paint sprayer



HYDREX
2" pump stroke



Stand & Cart
options



No
electronics




DURA LC series is the first hydraulic 1 hp powered airless sprayers in the industry. VEZOS provides light and mid range housing contractors an alternative to classic electric sprayers, reducing service downtime and expensive electronic part replacements. Equipped with VEZOS new Hydrex 2" length slow stroke pump for maximum delivery and increased suction no matter the application. DURA LC airless paint sprayers combine VEZOS heavy duty hydraulic technology in a small package!

DURA LC INSIGHTS

- ▮ Compact design
 - ▮ Hydraulic operation
 - ▮ Slow stroke hydraulic paint pump
 - ▮ 230 bar working pressure (3350 psi)
 - ▮ 2" pump stroke
 - ▮ HYDREX 20cc pump
 - ▮ Stand or cart options
 - ▮ Industrial electric motor
-
- ▮ Includes:
 - 15m airless paint hose
 - HD airless spray gun complete with guard & tip

COMING SOON





Texture & Heavy Coating

Transformable hydraulic airless sprayers,
3 in 1 highly professional options.
Connect the R-LINEPACK, no tools needed



Slow stroke
pump



Heavy
material coverage



3 in 1
sprayer



1 & 2
users (spray guns)



Compact & upright
design



Airless Hydraulic Texture and Paint Sprayers RUNNER PRO have an upright and compact design, eliminating the disadvantages of the classic hydraulic sprayers. The RUNNER PRO models are convertible in power, allowing users to change the power source depending on the construction site's needs. Easy to transport around the job site, due to size.



RUNNER PRO INSIGHTS

- Compact and upright design
- Convertible power kits
- Slow stroke hydraulic paint pump
- 260 bar working pressure (3770 psi)
- Pressure adjustment
- Drain valve
- HYDREX 68cc pump
- TCS Technology
- Retractable handle
- Industrial durable tires
- Heavy duty cart
- Direct immerse pump
- Removable suction hose kit (optional)
- Hydraulic operation - 5 lit oil reservoir
- Built in filter (optional)
- Industrial electric motor or/& HONDA gas engine





RUNNER PRO 5

RUNNER PRO 5 ELECTRIC AIRLESS SPRAYER CONVERTIBLE - p/n 23.1003835E

Type: Hydraulic airless texture - paint sprayer

Max. working pressure: 260 bar / 3770 psi

Max material delivery: 4.8 lit/min

Power: Electric motor 3 hp 230 volt

Heavy duty cart

Hydraulic reservoir: 5 liters capacity

HYDREX paint pump 68cc

Includes:

15 meters airless paint hose

Airless spray gun complete with guard & tip

Dimensions: 76cm x 61cm x 74 cm (H)

RUNNER PRO 5

RUNNER PRO 5 GAS AIRLESS SPRAYER CONVERTIBLE - p/n 23.1003835G

Type: Hydraulic airless texture - paint sprayer

Max. working pressure: 260 bar / 3770 psi

Max material delivery: 7.5 lit/min

Power: HONDA Gas engine GX160

Heavy duty cart

Hydraulic reservoir: 5 liters capacity

HYDREX paint pump 68cc

Includes:

15 meters airless paint hose

Airless spray gun complete with guard & tip

Dimensions: 76cm x 61cm x 74 cm (H)

RUNNER PRO 7

RUNNER PRO 7 ELECTRIC AIRLESS SPRAYER CONVERTIBLE - p/n 23.1003812E

Type: Hydraulic airless texture - paint sprayer

Max. working pressure: 260 bar / 3770 psi

Max material delivery: 6.4 lit/min

Power: Electric motor 4 hp 230 volt

Heavy duty cart

Hydraulic reservoir: 5 liters capacity

HYDREX paint pump 68cc

Includes:

15 meters airless paint hose

Airless spray gun complete with guard & tip

Dimensions: 76cm x 61cm x 74 cm (H)

RUNNER PRO 7

RUNNER PRO 7 GAS AIRLESS SPRAYER CONVERTIBLE - p/n 23.1003812G

Type: Hydraulic airless texture - paint sprayer

Max. working pressure: 260 bar / 3770 psi

Max material delivery: 8.5 lit/min

Power: HONDA Gas engine GX200

Heavy duty cart

Hydraulic reservoir: 5 liters capacity

HYDREX paint pump 68cc

Includes:

15 meters airless paint hose

Airless spray gun complete with guard & tip

Dimensions: 76cm x 61cm x 74 cm (H)



RUNNER PRO 12

RUNNER PRO 12 ELECTRIC AIRLESS SPRAYER CONVERTIBLE - p/n 23.1003822E

Type: Hydraulic airless texture - paint sprayer

Max. working pressure: 260 bar / 3770 psi

Max material delivery: 10.0 lit/min

Power: Electric motor 7.5 hp 380 volt

Heavy duty cart

Hydraulic reservoir: 5 liters capacity

HYDREX paint pump 68cc

Includes:

15 meters airless paint hose

Airless spray gun complete with guard & tip

Dimensions: 79cm x 61cm x 74 cm (H)

RUNNER PRO 12

RUNNER PRO 12 GAS AIRLESS SPRAYER CONVERTIBLE - p/n 23.1003822G

Type: Hydraulic airless texture - paint sprayer

Max. working pressure: 260 bar / 3770 psi

Max material delivery: 8.5 lit/min

Power: HONDA Gas engine GX270

Heavy duty cart

Hydraulic reservoir: 5 liters capacity

HYDREX paint pump 68cc

Includes:

15 meters airless paint hose

Airless spray gun complete with guard & tip

Dimensions: 76cm x 61cm x 74 cm (H)

RUNNER PRO MAX

RUNNER PRO MAX ELECTRIC AIRLESS SPRAYER CONVERTIBLE - p/n 23.1003341E

Type: Hydraulic airless texture - paint sprayer

Max. working pressure: 330 bar / 4800 psi

Max material delivery: 9.0 lit/min

Power: Electric motor 7.5 hp 380 volt

Heavy duty cart

Hydraulic reservoir: 5 liters capacity

HYDREX paint pump 68cc

Includes:

15 meters airless paint hose

Airless spray gun complete with guard & tip

Dimensions: 79cm x 61cm x 74 cm (H)

RUNNER PRO MAX

RUNNER PRO MAX GAS AIRLESS SPRAYER CONVERTIBLE - p/n 23.1003341G

Type: Hydraulic airless texture - paint sprayer

Max. working pressure: 330 bar / 4800 psi

Max material delivery: 9.0 lit/min

Power: HONDA Gas engine GX270

Heavy duty cart

Hydraulic reservoir: 5 liters capacity

HYDREX paint pump 68cc

Includes:

15 meters airless paint hose

Airless spray gun complete with guard & tip

Dimensions: 73cm x 61cm x 74 cm (H)

TRANSFORMS INTO A LINE STRIPER

Transformable hydraulic airless sprayers



Hydraulic
airless sprayer



Texture
Paint & Marking



3 in 1
sprayer



Cost
Effective



Innovative
thinking



The R-LinePack is a RUNNER airless accessory transforming the hydraulic texture and paint sprayer into a line striping sprayer within seconds. No need to purchase an additional unit, VEZOS RUNNER and R-LINEPACK is a cost efficient solution to contractors that want to give a proper ending to the project they are working on.

R-LINEPACK INSIGHTS

- Attach to sprayer without any tools
- 1 gun line striping ability
- Ideal for parking lots and basic striping
- 260 bar working pressure with RUNNER PRO7
- Re-striping pointer included
- Adjustable handle
- Front swivel wheel
- Foot brake & secure lock
- Complete contractor equipment with one unit
- Removable gun for stenciling





Steering & spraying control

TCS Cooling System

Hard chromed VEZOS pump

260 bar working pressure

Direct Immerse Pump
to Suction hose

Adjustable handle

Convertible
Power Kits

Foot break / secure lock

Lock wheel from steering kit

Removable gun



R-LINEPACK Complete Kit
p/n 23.7001001

DIVISION: CONTRACTOR

DRYWALL SANDING SOLUTIONS

WALL &
CEILING

all about surfaces ...





When looking for a ceiling drywall sander, contractors know that VEZOS has been the leader manufacturer for years. Achieve extreme working height with our HANDYSAND COMBO drywall sanders, by simply adding extensions, so forget all about scaffolding. The drywall sander grips and hangs to the ceiling with VEZOS A.R.S. Technology.

HANDYSAND COMBO INSIGHTS



- Auto regulated suction
- Up to 7 meters working height
- 750 watt powerful motor
- Retractable extensions
- Multi setup design
- ORIGINAL SUCTION EFFECT (presented in 2006)
- Dustless sanding
- Award winning innovative product
- 97 cm compact version
- Aluminum body
- Rotating head
- Adjustable suction force
- Best weight / power ratio
- Connects to all professional vacuums
- Wide range of abrasives



HS COMBO XXL

HANDYSAND COMBO XXL SANDER - p/n 23.5111101

Type: Drywall sander multi setup

Power: 750 watt motor

Volt: 220 / 110

Speed: 500 - 1350 r.p.m.

Drive cable: 8 mm

Overall Length: 272 cm

Working Height: 392 cm

Includes:

2 main extension 65 cm x 2

1 retractable extension 45 cm

4 m vacuum hose 38 mm

Transportation Case

Vacuum connections & pressure release system

Grip on handle

HS COMBO XL

HANDYSAND COMBO XL SANDER - p/n 23.5011101

Type: Drywall sander multi setup

Power: 750 watt motor

Volt: 220 / 110

Speed: 500 - 1350 r.p.m.

Drive cable: 8 mm

Overall Length: 272 cm

Working Height: 392 cm

Includes:

2 main extension 65 cm x 2

1 retractable extension 45 cm

4 m vacuum hose 38 mm

Vacuum connections & pressure release system

Grip on handle

HS COMBO SMART

HANDYSAND COMBO SMART SANDER - p/n 23.5011201

Type: Drywall sander multi setup

Power: 750 watt motor

Volt: 220 / 110

Speed: 500 - 1350 r.p.m.

Drive cable: 8 mm

Overall Length: 207 cm

Working Height: 327 cm

Includes:

1 main extension 65 cm

1 retractable extension 45 cm

Vacuum connection

Grip on handle

HS COMBO BARE

HANDYSAND COMBO BARE SANDER - p/n 23.5011200

Type: Drywall sander multi setup

Power: 750 watt motor

Volt: 220 / 110

Speed: 500 - 1350 r.p.m.

Drive cable: 8 mm

Overall Length: 162 cm

Working Height: 282 cm

Includes:


1 main extension 65 cm

Vacuum connection



VEZOS





IT'S ALL ABOUT INNOVATION

" texture, paint & sanding"



CONTACT US

http://



www.vezos.co.uk | vezosusa.com | vezos-tools.com

+441344902036

+17323336632

+302104411720

info@vezos.co.uk

sales@vezosusa.com

info@vezos-tools.com

