

www.vezos.co.uk

VEZOS
"Inventing Ways"

INDEX

⇒ **Introduction**

⇒ **Wall & Ceiling Sander Range**

- Handysand Combo Line
- Handysand Basic Line
- Ergo Classic Line

⇒ **Texture & Paint Hydraulic Airless Range**

- Runner Hydraulic Pro Line
- Runner Hydraulic Max Line

⇒ **Road Marking Range**

- ProStripe Hand Driven Road Marking Line
- ProStripe Self Driven Road Marking Line
- Road Master Truck Marking System

⇒ **Airless Air-Assisted Sprayer**

- ZAc7 68:1 Air Operated Sprayer

"...VEZOS motto is focused on our brand's products and innovation, by offering the market a different and innovative solution with each product designed and manufactured by our team. Innovation is VEZOS aim; each product has been carefully evaluated in order to offer its users and the market a new technology and a new invention. We think different to the competition, we think out of the box and that is why the VEZOS products have changed the industry's mentality over the years. Sanding with a gripping effect, achieving amazing working heights, tunnel cooling hydraulic systems, upright & compact airless designs are only a few of VEZOS innovations that are included in our portfolio.

We think different, we think strong, as any product that we present to the market becomes a lifelong partner to its user..."

- Dimitris Vezos, Inventor

A handwritten signature in blue ink, appearing to read 'D. Vezos', with a long horizontal flourish extending to the right.

WALL & CEILING SANDERS

Handysand 
"Hangs on the ceiling"



Handysand 
"Hangs on the ceiling"



Basic
line

Ergo

"Ergonomic Design - Balance - Handling"



Handysand 
 "Hangs on the ceiling"



Combo line



- ⇒ Drywall
- ⇒ Texture
- ⇒ Plaster
- ⇒ Paint
- ⇒ Popcorn remover
- ⇒ Wooden Floors
- ⇒ Renovation

Handysand Combo line wall & ceiling sander, is a self-gripping sander, with an active **A.R.S. Technology** throughout the sanding procedure.

Handysand Combo transforms in length by simply adding or removing extensions. Starting off at 97cm and gradually achieving an amazing **7 meters** working height. No scaffolding needed when sanding high areas.

Due to the VEZOS **Auto Regulated Suction Technology**, lifting the weight of the tool, is now in the past. **Handysand** sander **Hangs to the ceiling!** Simply drive the tool instead of lifting its weight.

Handysand Combo is a multi-set up sander, allowing users to adjust the length of the tool depending on the jobs needs. All set-up versions can reveal a hidden retractable extension, providing that extra boost it height in seconds. No tools needed.

Handysand Combo, connects to all brand vacuum collectors

Handysand 
 "Hangs on the ceiling"



Available in several editions

Method	A.R.S. (Auto Regulated Suction)
Rated Power	750 watt
Voltage	220 or 110 volt
Speed	550 - 1350 rpm
Drive Cable	8mm
Power Cable	5m
Sanding Disc Ø	225 mm
Length a.	97 cm - Compact
Length b.	162 cm - 1 Extension
Length c.	227 cm - 2 Extension



Handysand Combo line wall & ceiling sander, combines VEZOS quality and innovation in one tool. Avoid scaffolding when sanding high vertical wall that are time and cost consuming. Use your Handysand Combo drywall sander to the extreme, simply add main extensions and take advantage of the **ARS Technology** that will automatically regulate the suction force and allow the Handysand to grip to the surface eliminating the weight of the tool and offering an amazing **7 meters working height**.

Forget scaffolding ... save time & cost!!!





VEZOS
Think different. Think strong!

POLICE DEPARTMENT
ACCUSATION:

- Innovation
- Invention
- Inspiration



Stop lifting the weight of your drywall sander, VEZOS Handysand Combo line makes sanding easy. Connect the Handysand to any professional vacuum cleaner and enjoy driving the sander instead of lifting it!

A.R.S. technology (Auto Regulated Suction) can be found only on the VEZOS sanders, original gripping effect!



Handysand Combo line drywall, wall and ceiling sander

Editions and options:

Product Number	23.5111101	23.5011101	23.5011200	23.5011201	23.5011300
Handysand Edition	Combo XXL	Combo XL	Combo Bare	Combo Smart	Combo Smart L
Sander Line	Combo Line	Combo Line	Combo Line	Combo Line	Combo Line
Sanding Type	A.R.S. Self Grip	A.R.S. Self Grip	A.R.S. Self Grip	A.R.S. Self Grip	A.R.S. Self Grip
Rated Power	750 watt	750 watt	750 watt	750 watt	750 watt
Voltage	220/110 volt	220/110 volt	220/110 volt	220/110 volt	220/110 volt
Speed r.p.m.	550 - 1350	550 - 1350	550 - 1350	550 - 1350	550 - 1350
Drive Cable	8mm	8mm	8mm	8mm	8mm
Power Cable	5m	5m	5m	5m	5m
Weight no extension	4.2kg	4.2kg	4.2kg	4.2kg	4.2kg
Weight 2 extension	5.7kg	5.7kg	4.9kg	4.9kg	4.9kg
Overall Length	272cm	272cm	162cm	162cm	227cm
Working Height	392cm	392cm	282cm	282cm	347cm

Product Number	23.5111101	23.5011101	23.5011200	23.5011201	23.5011300
HD Head Complex	1 piece	1 piece	1 piece	1 piece	1 piece
Motor Complex	1 piece	1 piece	1 piece	1 piece	1 piece
Main Extension 65cm	2 piece	2 piece	1 piece	1 piece	2 piece
Retractable Ext. 45cm	1 piece	1 piece	Optional	1 piece	Optional
Transportation Case	1 piece	Optional	Optional	Optional	Optional
Grip on Handle	1 piece	1 piece	Optional	1 piece	1 piece
Vacuum Connector 32mm	1 piece	1 piece	1 piece	1 piece	Optional
Vacuum Connector 38mm	1 piece	1 piece	Optional	Optional	1 piece
Vacuum Hose 38mm	4 meter	4 meter	Optional	Optional	Optional
Pressure Releaser	1 piece	1 piece	Optional	Optional	Optional



Handysand 
 "Hangs on the ceiling" 



Basic
line

Basic line

- ⇒ Drywall
- ⇒ Texture
- ⇒ Plaster
- ⇒ Paint
- ⇒ Popcorn remover
- ⇒ Wooden Floors
- ⇒ Renovation

Handysand Basic line wall & ceiling sander, is a self-gripping sander, with an active **A.R.S. Technology** throughout the sanding procedure.

Handysand Basic is a one piece sander, with a hidden away retractable extension, allowing it's users to reach those high areas while sanding without stilts or ladders.

Due to the VEZOS **Auto Regulated Suction Technology**, lifting the weight of the tool, is now in the past. **Handysand** sander **Hangs to the ceiling!** Simply drive the tool instead of lifting its weight.

Handysand Basic automatically adjusts the suction force of the sander, depending on the sanding surface. Easy to use, no tools needed.

Handysand Basic, connects to all brand vacuum collectors

Available in sever-

Method	A.R.S. (Auto Regulated Suction)
Rated Power	750 watt
Voltage	220 or 110 volt
Speed	550 - 1350 rpm
Drive Cable	8mm
Power Cable	5m
Sanding Disc Ø	225 mm
Length a.	163 cm
Length b.	208 cm - With Retract. Extension



Handysand Basic line drywall, wall and ceiling sander

Editions and options:

Product Number	23.6011001	23.6001102	23.6001103	23.6001104
Handysand Edition	Basic Bare	Basic XXL	Basic Smart	Basic Transport
Sander Line	Basic Line	Basic Line	Basic Line	Basic Line
Sanding Type	A.R.S. Self Grip	A.R.S. Self Grip	A.R.S. Self Grip	A.R.S. Self Grip
Rated Power	750 watt	750 watt	750 watt	750 watt
Voltage	220/110 volt	220/110 volt	220/110 volt	220/110 volt
Speed r.p.m.	550 - 1350	550 - 1350	550 - 1350	550 - 1350
Drive Cable	8mm	8mm	8mm	8mm
Power Cable	5m	5m	5m	5m
Weight	4.8kg	4.8kg	4.8kg	4.8kg
Overall Length	163cm	208cm	208cm	163cm
Working Height	283cm	328cm	328cm	283cm

Product Number	23.6011001	23.6001102	23.6001103	23.6001104
Handysand Basic sander	1 piece	1 piece	1 piece	1 piece
Retractable Ext. 45cm	Optional	1 piece	1 piece	Optional
Transportation Case	Optional	1 piece	Optional	1 piece
Grip on Handle	Optional	1 piece	1 piece	Optional
Vacuum Connector 32mm	1 piece	1 piece	1 piece	1 piece
Vacuum Connector 38mm	Optional	Optional	Optional	Optional
Vacuum Hose 32mm	Optional	4 meter	Optional	Optional
Pressure Releaser	Optional	1 piece	Optional	Optional



Ergo

“Ergonomic Design - Balance - Handling”



- ⇒ Drywall
- ⇒ Texture
- ⇒ Plaster
- ⇒ Paint
- ⇒ Popcorn remover
- ⇒ Wooden Floors
- ⇒ Renovation




Ergo drywall, wall & ceiling sander, is a classic procedure sander, with an ergonomic design justifying its name **Ergo = Ergonomic**.

For the best handling, the **Ergo** sanders length @130cm allows it's users to get a firm grip and sand indoor or outdoor areas with ease, soft grips are located on two main parts of the Ergo body.

Ergo wall sander, is equipped with a retractable extension, changing the working height of the tool and enabling it's user to reach all surfaces without needing a second tool or ladder. Balanced perfectly at all available length set ups.

Ergo sander, connects to all brand vacuum collectors

Best power to weight ratio
0.181 kw/kg



“Ergonomic Design Balance & Handling”

Available in several editions

Method	Classic sanding procedure
Rated Power	750 watt
Voltage	220 or 110 volt
Speed	550 - 1350 rpm
Drive Cable	8mm
Power Cable	5m
Sanding Disc Ø	225 mm
Length a.	130 cm
Length b.	174 cm



Ergo Classic line wall & ceiling sander, proves that when high quality, innovation and the latest technology is combined, a classic sanding procedure sander can beat the competition. Strong and powerful, manufactured from aluminum and at a size that balances perfectly, VEZOS Ergo classic drywall sander, will become a lifelong partner to its users.

Combine the retractable extension and gain instant working height.

No tools required

Best power to weight ratio



4.41 kg/hp

Power ... ??

Weight ... ??

NO !!!

**It's the
power to weight ratio
that counts!**

Compare this to other brands

750 watt = 1,02 hp
4,5Kg / 1,02hp = 4.41 kg/hp




Ergo sander proves that technology & innovation win the race! Try to beat that...

Ergo Classic line drywall, wall and ceiling sander

Editions and options:

Product Number	23.1006999	23.1007200	23.1007201	23.1007202
Ergo Classic Edition	Ergo Smart	Ergo Basic	Ergo XXL	Ergo XL
Sander Line	Classic Line	Classic Line	Classic Line	Classic Line
Sanding Type	Classic	Classic	Classic	Classic
Rated Power	750 watt	750 watt	750 watt	750 watt
Voltage	220/110 volt	220/110 volt	220/110 volt	220/110 volt
Speed r.p.m.	550 - 1350	550 - 1350	550 - 1350	550 - 1350
Drive Cable	8mm	8mm	8mm	8mm
Power Cable	5m	5m	5m	5m
Weight	4.5kg	4.15kg	4.5kg	4.5kg
Overall Length	130-174cm	130cm	130-174cm	130-174cm
Working Height	294cm	250cm	250cm	250cm
Product Number	23.1006999	23.1007200	23.1007201	23.1007202
Ergo Classic Edition	1 piece	1 piece	1 piece	1 piece
Retractable Ext. 45cm	1 piece	Optional	1 piece	1 piece
Transportation Case	Optional	Optional	1 piece	1 piece
Grip on Handle	Optional	Optional	1 piece	Optional
Vacuum Connector 32mm	1 piece	1 piece	1 piece	1 piece
Vacuum Connector 38mm	Optional	Optional	Optional	Optional
Vacuum Hose 32mm	Optional	Optional	4 meter	Optional

Ergo = Ergonomic



innovation

PAINT & TEXTURE SPRAYER



Upright Compact Design



Easy Convertible Power Kits

- ◇ Paint
- ◇ Texture
- ◇ Primers
- ◇ Acrylics
- ◇ Latex
- ◇ Drywall Mud
- ◇ Elastomeric Coatings

Convertible

**Upright
Design**

330 bar


260 bar

Compact

Runner Hydraulic Paint & Texture Sprayer is a professional hydraulic heavy duty unit, with an upright design, for easy transportation and access to any job site.

Easy to change **convertible power kits**, allow it's user to change the power source in seconds, without any use of extra tools.

T.C.S. Technology ensures correct cooling to the whole unit, allowing the Runner Hydraulic Sprayer to perform under the correct temperate throughout the entire job.





Runner Hydraulic Paint & Texture Sprayer range are heavy duty sprayers, offering contractors a **powerful 260 or 330 bar** working pressure, a large hydraulic oil tank 5.0 liters and the ability to change power kits on the spot, without the use of any tools.

Upright and compact design! Forget the biggest disadvantage that hydraulic sprayers are known for, VEZOS Runner range has been designed to fit in any transportation vehicle and can be maneuvered around the construction site with ease.

Dimensions: 73.5 cm x 61.5 cm x 74.5cm (H)

Texture & Paint Hydraulic Airless Sprayer

Incomparable in power, design & size!



260 bar - 330 bar working pressure

Runner Texture & Paint Airless Hydraulic Sprayer

Editions and options:

Product Number	23.1003812.E	23.1003812.G	23.1003822.E	23.1003822.G
Runner Edition	Pro7	Pro7	Pro12	Pro12
Max Pressure	260 bar	260 bar	260 bar	260 bar
Max Delivery	6.4 l/min	7.5 l/min	10.0 l/min	12.0 l/min
Power	4 hp	5.5 hp	7.5 hp	8.5 hp
Motor	Electric 230 Volt	Honda GX200	Electric 380 Volt	Honda GX270
Pump	Hard Chromed	Hard Chromed	Hard Chromed	Hard Chromed
Hydraulic Reservoir	5.0 liter	5.0 liter	5.0 liter	5.0 liter
Max Tip Size	0.049	0.051	0.055	0.057
Dimensions	73x61x74 cm	73x61x74 cm	79x61x74 cm	73x61x74 cm
Power Convert	Convertible	Convertible	Convertible	Convertible

Product Number	23.1003812.E	23.1003812.G	23.1003822.E	23.1003822.G
Paint hose 3/8"	15 meter	15 meter	15 meter	15 meter
Paint hose 1/4"	1 meter	1 meter	1 meter	1 meter
Airless Spray Gun	1 piece	1 piece	1 piece	1 piece
Gun Guard	1 piece	1 piece	1 piece	1 piece
Gun Tip	1 piece	1 piece	1 piece	1 piece
Power Convert	Available kit	Available kit	Available kit	Available kit

Product Number	23.1003341.E	23.1003341.G
Runner Edition	Max	Max
Max Pressure	330 bar	330 bar
Max Delivery	9.0 l/min	9.0 l/min
Power	7.5 hp	8.5 hp
Motor	Electric 380 Volt	Honda GX270
Pump	Hard Chromed	Hard Chromed
Hydraulic Reservoir	5.0 liter	5.0 liter
Max Tip Size	0.049	0.051
Dimensions	79x61x74 cm	73x61x74 cm
Power Convert	Convertible	Convertible

Product Number	23.1003341.E	23.1003341.G
Paint hose 3/8"	15 meter	15 meter
Paint hose 1/4"	1 meter	1 meter
Airless Spray Gun	1 piece	1 piece
Gun Guard	1 piece	1 piece
Gun Tip	1 piece	1 piece
Power Convert	Available kit	Available kit

ROAD MARKING SPRAYERS

ProStripe

"From lines to.. Artwork"



ProStripe

"From lines to.. Artwork"

- ⇒ Parking Lots
- ⇒ Intersections
- ⇒ Roadways
- ⇒ High – speed runways
- ⇒ Malls
- ⇒ Parks
- ⇒ Big building sites
- ⇒ Airport runways



Available in Self - Driven

ProStripe Hydraulic Road Marking Sprayer, is equipped with a high quality VEZOS hydraulic pump, ensuring gradual pumping speed, delivering perfect lines with better definition, for demanding & heavy duty applications.

Wide tracks for a non bumping & steady root, vibrations reduction system, front swivel wheel with "Lock-up tech" & a reliable Honda engine.

1-2 Gun & Bead dispenser Kits are available.




Reliable, powerful & easy to start Honda engines



Max Pressure	235 Bar	235 Bar
Max Delivery	8.5 l/min	10.5 l/min
Power	5.5 hp	8.5 hp
Motor	Gas	Gas
Gun	1 - 2	1 - 2
Pump	Chromed	Chromed
Max Tip	0.049"	0.051"

Available in several editions






Applications

- ⇒ Parking Lots
- ⇒ Intersections
- ⇒ Roadways
- ⇒ High – speed runways
- ⇒ Malls
- ⇒ Parks
- ⇒ Big building sites
- ⇒ Airport runways

The First Line

In 1911 the idea of a white line dividing the road occurred from E.N. Hines, after watching a leaky milk wagon leave a white trail along a road! Yes, ideas are born as simply as that. As the years past, the yellow line was added for security reasons. Today road markings are used to provide a large range of information to drivers and pedestrians in order to navigate, enforce safety procedures and road priority.



ProStripe Road Marking Airless Hydraulic Sprayer

Editions and options:

Product Number	23.1002803	23.1002804	23.1002805	23.1004801	23.1004802	23.1004803
Marking Edition	Hand Driven	Hand Driven	Hand Driven	Hand Driven	Hand Driven	Hand Driven
Max Pressure	235 bar	235 bar	235 bar	235 bar	235 bar	235 bar
Max Delivery	8.5 l/min	8.5 l/min	8.5 l/min	10.5 l/min	10.5 l/min	10.5 l/min
Power	5.5 hp	5.5 hp	5.5 hp	8.5 hp	8.5 hp	8.5 hp
Motor	Honda GX200	Honda GX200	Honda GX200	Honda GX270	Honda GX270	Honda GX270
Pump	Hard Chromed	Hard Chromed	Hard Chromed	Hard Chromed	Hard Chromed	Hard Chromed
Hydraulic Reservoir	5.0 liter	5.0 liter	5.0 liter	5.0 liter	5.0 liter	5.0 liter
Max Tip Size	0.046	0.033	0.033	0.055	0.039	0.039
Dimensions	165x73x108cm	165x73x108cm	165x73x108cm	165x73x108cm	165x73x108cm	165x73x108cm
Airless Spray Gun	1 Gun	2 Gun	2 Gun	1 Gun	2 Gun	2 Gun

Product Number	23.1002803	23.1002804	23.1002805	23.1004801	23.1004802	23.1004803
Paint hose 1/4"	15 meter	15 meter	15 meter	15 meter	15 meter	15 meter
Airless Spray Gun	1 piece	2 piece	2 piece	1 piece	2 piece	2 piece
Gun Guard	1 piece	2 piece	2 piece	1 piece	2 piece	2 piece
Gun Tip	1 piece	2 piece	2 piece	1 piece	2 piece	2 piece
Bead Dispenser	Optional	Optional	Included	Optional	Optional	Included
Guide Pointer	Optional	Included	Included	Optional	Included	Included

Product Number	23.1020085*
Marking Edition	Self Driven
Max Pressure	235 bar
Max Delivery	8.5 l/min
Power	8.5 hp
Motor	Honda GX270
Pump	Hard Chromed
Hydraulic Reservoir	5.0 liter
Max Tip Size	0.046
Dimensions	165x73x108 cm
Airless Spray Gun	1 Gun

* Note: This model is a self - driven line marking unit. Its user can choose to operate the ProStripe with or without the driving system, as the unit drives itself and simply needs guidance.

The unit operate with a strong engine and hydraulic pump, offering constant and efficient lines. Bead dispenser, 2nd gun kit and guide pointer are all extras that can be added to the unit.

Product Number	23.1002803
Paint hose 1/4"	15 meter
Airless Spray Gun	1 piece
Gun Guard	1 piece
Gun Tip	1 piece
Bead Dispenser	Optional
Guide Pointer	Optional

RoadMaster II

“ From lines to ... Artwork ”



⇒ Roadways

⇒ High – speed runways



RoadMaster II Road Marking, another innovation by VEZOS, constructed as an independent group in a frame and easily fitted to any type of truck with simply

“4 Screws”

Available with 2 or 3 pumps

Pump	2 x 13.5 l/min
Max Working Pressure	200 Bar
Bead Tank	400 Liter
Engine	60 hp
Compressor	5.5 hp
Max Working Pressure (2 pump)	27 l/min
Bracket	1
Spray Gun	2
Bead Gun	2



AIR POWERED AIRLESS SPRAYER

Zac7
"Superior Performance"



Zac7 "Superior Performance"



- ◇ Marine & Shipyard maintenance / manufacturing
- ◇ Railcars and other transport vehicles
- ◇ Shipping container manufacturing / maintenance
- ◇ Bridge maintenance & new construction
- ◇ Tank and Pipe linings
- ◇ Roof coating

- ◆ High-solid epoxy primers & coatings
- ◆ High-solids polyurethane top coatings
- ◆ Medium to ultra—high viscosity coatings
- ◆ Fire retardant
- ◆ Waterborne
- ◆ Coat tar epoxy primers
- ◆ Tank & Pipe coating and linings

Max Fluid Outlet Pressure	6900 p.s.i. (46.9 MPa, 476 Bar)
Max Air Input Pressure	100 psi (0.7 MPa, 7 Bar)
Volume per double stroke (cycle)	68 cc
Fluid Flow @ 110cpm	2.1 gpm (8 lit/min)
Max Pump Operating Temp.	82°C (180°F)
Air Inlet Size	1/2 in npsm (f)
Fluid Inlet Size	1 1/4 in npt (m)
Fluid Outlet Size (Built-in filter)	(2) 3/8 in npt (m)

www.vezos.co.uk

VEZOS
"Inventing Ways"